


IP 65	IK 06	T _a 50°C	CRI Ra 85	VAC 220/240			
Beam Angles : 100°				High-quality glass diffuser design			




Flat(F)



Dome(D)



Mounting Options:




Wall(Outdoor)

Body Color Options:



Die cast aluminium



Key Information

Shape	Round
Mounting Type	Surface mounted
LED Type	SMD LED module
Power Options	9W 12W 15W (Selectable Power) 20W
CCT(K) Options	3000K 4000K 5000K(Switchable) 3000K 4000K 5000K(Single)- 20W
Luminous Efficacy	80-100lm/W
Beam Angles	100°
CRI	>85
SDCM	<3
Lifespan	50,000 hours(L70 B50)

Physical

Body Material	Die cast aluminium
Diffuser	High-quality tempered glass
Housing Finish	Electrostatic powder coating
Housing Color	Grey / Black / White / Bronze
Diffuser Options	Flat Dome

Environmental

Installation Environment	Indoor & Outdoor
IK Rating	06
IP Rating	IP65
Operating Temperature	-30° to 50°C

Driver

Input Voltage	220~240VAC 50/60Hz
Class Rating	Class I
Power Factor	>0.92
Standard	On/off
Dimming Options	0-10V
Sensor Options	Yes(Photocell)

Ordering Guide:

Product	CCT (K)	Wattage (W)	Shape	Color Finish	Driver
EC II = Eclips II	SC = Switchable CCT 3000K 4000K 5000K 3K=3000K 4K=4000K 5K=5000K	SW = Switchable Watt 9W 12W 15W 20W	F = Flat D = Dome	GR = Grey BL = Black WH = White BR = Bronze	S=On/off V=0-10V

* Please choose wattage and CCT from same color box matching respective product.

Product Code	Wattage	CCT	Lumens	Dimensions (mm)
EC II-SC-SW-F-BR-S	9W 12W 15W	3000K 4000K 5000K	765lm 1020lm 1275lm	Ø198 x 83mm
EC II-3K-20W-F-BR-S	20W	3000K	1600lm	Ø198 x 83mm
EC II-SC-SW-D-BR-S	9W 12W 15W	3000K 4000K 5000K	720lm 960lm 1200lm	Ø198 x 119mm
EC II-3K-20W-D-BR-S	20W	3000K	2200lm	Ø198 x 119mm

Applications:

Entrance, balconies, cabin, sauna Room, basement, courtyard, outdoor, industrial, wall lighting etc.




DIP Switch for CCT & Watt



Back Side



DIP Switch for Photocell



- 3 CCT & Wattage Selectable



Disclaimer:

LuxeLED All rights reserved. LuxeLED does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by LuxeLED.